

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 2 of 8

Section 4 - FIRST AID MEASURES

SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

EYE

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- If pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used.

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

FIRE/EXPLOSION HAZARD

- Non combustible.

continued...

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 3 of 8
Section 5 - FIRE FIGHTING MEASURES

- Not considered a significant fire risk, however containers may burn.
Decomposes on heating and produces toxic fumes of
carbon monoxide (CO).
and.
carbon dioxide (CO₂).

FIRE INCOMPATIBILITY

Avoid contamination with strong oxidising agents as ignition may result.

HAZCHEM

None

Personal Protective Equipment

PERSONAL PROTECTION EQUIPMENT
Gloves, boots (chemical resistant).

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Wear impervious gloves and safety goggles.
- Trowel up/scrape up.
- Place spilled material in clean, dry, sealed container.
- Flush spill area with water.

MAJOR SPILLS

- Minor hazard.
- Clear area of personnel.
 - Alert Fire Brigade and tell them location and nature of hazard.
 - Control personal contact by using protective equipment as required.
 - Prevent spillage from entering drains or water ways.
 - Contain spill with sand, earth or vermiculite.
 - Collect recoverable product into labelled containers for recycling.
 - Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.
 - Wash area and prevent runoff into drains or waterways.
 - If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- When handling DO NOT eat, drink or smoke.
- Always wash hands with soap and water after handling.
- Avoid physical damage to containers.

continued...

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 4 of 8
Section 7 - HANDLING AND STORAGE

- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.

SUITABLE CONTAINER

Plastic cartridge.
Plastic container.

STORAGE INCOMPATIBILITY

Avoid reaction with oxidising agents.
Avoid strong acids.

STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well ventilated area.
- DO NOT allow to freeze.
- Store away from incompatible materials.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

No data available for water as (CAS: 7732-18-5)
Not available. Refer to individual constituents.

EXPOSURE STANDARDS FOR MIXTURE

"Worst Case" computer-aided prediction of spray/ mist or fume/ dust components and concentration:

Composite Exposure Standard for Mixture (TWA) :3 mg/m³.

Operations which produce a spray/mist or fume/dust, introduce particulates to the breathing zone.

If the breathing zone concentration of ANY of the components listed below is exceeded, "Worst Case" considerations deem the individual to be overexposed.

Component Breathing Zone ppm Breathing Zone mg/m³ Mixture Conc (%)

Component	Breathing Zone (mg/m ³)	Mixture Conc (%)
acrylic polymer	3.0000	30.0

INGREDIENT DATA

WATER:

No exposure limits set by NOHSC or ACGIH.

PERSONAL PROTECTION

EYE

- Safety glasses with side shields; or as required,
- Chemical goggles.
- Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

continued...

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 5 of 8

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HANDS/FEET

- Barrier cream with polyethylene gloves.
- Wear general protective gloves, eg. light weight rubber gloves.
- PVC gloves.

OTHER

- Overalls.
- Eyewash unit.

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:
"Forsberg Clothing Performance Index".
The effect(s) of the following substance(s) are taken into account in the
computer-generated selection:

Protective Material CPI *.

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove,
a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis,
factors such as "feel" or convenience (e.g. disposability), may dictate a choice
of gloves which might otherwise be unsuitable following long-term or frequent
use. A qualified practitioner should be consulted.

RESPIRATOR

Selection of the Class and Type of respirator will depend upon the level of
breathing zone contaminant and the chemical nature of the contaminant.
Protection Factors (defined as the ratio of contaminant outside and inside the
mask) may also be important.

Breathing Zone Level ppm (volume)	Maximum Protection Factor	Half-face Respirator	Full-Face Respirator
1000	10	-AUS P	-
1000	50	-	-AUS P
5000	50	Airline *	-
5000	100	-	-2 P
10000	100	-	-3 P
	100+		Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand.

The local concentration of material, quantity and conditions of use determine
the type of personal protective equipment required. For further information
consult site specific CHEMWATCH data (if available), or your Occupational
Health and Safety Advisor.

ENGINEERING CONTROLS

None required when handling small quantities.

OTHERWISE:.

Use in a well-ventilated area.

continued...

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 6 of 8

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Smooth thick white or grey paste with acrylic odour; mixes with water.
The cured material is insoluble in water.

PHYSICAL PROPERTIES

Mixes with water.

Molecular Weight: Not Applicable

Melting Range (°C): Not Available

Solubility in water (g/L): Miscible

pH (1% solution): Not Available

Volatile Component (%vol): Not Available

Relative Vapour Density (air=1): Not Available

Lower Explosive Limit (%): Not Applicable

Autoignition Temp (°C): Not Applicable

State: Non Slump Paste

Boiling Range (°C): Not Available

Specific Gravity (water=1): 1.60

pH (as supplied): Not Applicable

Vapour Pressure (kPa): Not Available

Evaporation Rate: Not Available

Flash Point (°C): Not Applicable

Upper Explosive Limit (%): Not Applicable

Decomposition Temp (°C): Not Available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Considered an unlikely route of entry in commercial/industrial environments.
Ingestion may result in nausea, abdominal irritation, pain and vomiting.
if swallowed in large quantity.

EYE

Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.

SKIN

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling the epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.

continued...

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 7 of 8

Section 11 - TOXICOLOGICAL INFORMATION

INHALED

Not normally a hazard due to non-volatile nature of product.

CHRONIC HEALTH EFFECTS

As with any chemical product, contact with unprotected bare skin; inhalation of vapour, mist or dust in work place atmosphere; or ingestion in any form, should be avoided by observing good occupational work practice.

Trafalgar Building Fyreflex Fire Rated Mastic

Not available. Refer to individual constituents.
unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

WATER:

No significant acute toxicological data identified in literature search.

Section 12 - ECOLOGICAL INFORMATION

Refer to data for ingredients, which follows:

WATER:

No data for water.

Section 13 - DISPOSAL CONSIDERATIONS

- Recycle wherever possible or consult manufacturer for recycling options.
 - Consult State Land Waste Management Authority for disposal.
 - Bury residue in an authorised landfill.
 - Recycle containers if possible, or dispose of in an authorised landfill.
-

Section 14 - TRANSPORTATION INFORMATION

Shipping Name:

None

Dangerous Goods Class: None, None

UN/NA Number: None

ADR Number: None

Packing Group: None

Labels Required:

Additional Shipping Information:

International Transport Regulations:

IMO: None

HAZCHEM

None

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE

None

continued...

TRAFALGAR BUILDING FYREFLEX FIRE RATED MASTIC

ChemWatch Material Safety Data Sheet
Issue Date: Fri 20-May-2005

CHEMWATCH 19765
CD 2005/2 Page 8 of 8
Section 15 - REGULATORY INFORMATION

REGULATIONS

water (CAS: 7732-18-5) is found on the following regulatory lists:
Australian Inventory of Chemical Substances (AICS)

Section 16 - OTHER INFORMATION

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: Fri 20-May-2005
Print Date: Mon 23-May-2005